Technical Datasheet

Heavy Cut Compound 1100 IF

- Wool Use -

menzerna polishing compounds

Product Description

Menzerna Heavy Cut Compound HCC 1100 is a highly effective sanding polish for automotive clear coats. The polish is specially optimized for use with lambskin to remove heavy signs of wear and sanding.

Cut:								8		
Gloss:					5					

Colour:	White
Density:	1,05 kg/l
Storage:	5-30 °C, avoid frost and direct sunlight
Application:	Rotative. Orbital
Recommended Speed:	1000 – 1500 rpm
Maximum Cut:	P1500 (Lambswool)

Pad recommendation:

- Premium Lambswool Pad
- Orbital Wool Pad
- Crater-shaped lambskin polishing pad

Recommended Usage

1.	Clean surface thoroughly.
2.	Shake the bottle and apply 3 (ø95 mm) - 7 (ø180 mm) pea-sized drops of polish to the polishing pad or lambskin, depending on the pad size.
3.	Work in a crosswise motion. Apply strong, even pressure during polishing and run the product at a constant low speed. When the product has been homogeneously distributed and worked into the surface, slowly increase the speed.
4.	The polish is complete when only a slightly transparent or oily film is visible.
5.	Remove polish residues with a microfiber cloth. Optionally, clean with Menzerna Control Cleaner to check the polishing result.
6.	Sanding and wear marks are now removed. For a perfectly glossy surface, apply a Menzerna finish as required, e.g. when applying to dark paints, to remove any holograms that have formed.

The Menzerna-System

	1. Heavy Cut	2. Medium Cut	3. Finish	4. Protection
Standard products	HCC 1000	MCP 2000	FF 3000	Power Lock Ultimate, Liquid Carnauba, Sealing Wax Protection
	HCC 1100 IF	MCP 2400	SF 3500	
		MCP 2500	SFP 3800	
Premium products	SHC 300			
	HCC 400 IF/HCC 400 GREEN LINE			
		One-Step Polish 3in1		

Packaging

Bottle, plastic, 250 ml	22848.281.001
Bottle, plastic, 1 Liter	22848.261.001
Other container upon request	

For more information on the products, see:

Instagram YouTube Menzerna.de

Important notice:
All the information above is based on our empirical values. Please test the use of our product yourself to determine whether it is suitable for your intended application. All matters related to the warranty and liability for this product are governed by our general selling terms and conditions, unless otherwise specified by applicable legal regulations.

Copyright menzerna polishing compounds GmbH & CO KG – Entire, partially or in extracts use of this data is not permitted without agreement

Stand: TDB_HCC1100IF_22848_20260302_EN

Menzerna Polishing Compounds GmbH &Co KG
Industriestr. 25, D-76470 Ötigheim
Tel.: +49-7222-9157-0
office@menzerna.com